

Product Specs: Machine Type

## The cash box.

### PRODUCT DIMENSIONS

\*Includes topper

- Height 74.75"
- Width 17.75"
- Depth 26.75"
- Weight 810lbs

### CONSUMER INTERFACE

- 15" LCD color screen
- 8 function display keys
- 16 key numeric keyboard
- DIP card reader
- 80 mm printer

### ADDITIONAL INFO

- ADA & PCI compliant
- CDMA or TCP/IP connectivity
- Windows® XP Pro operations platform
- 120v power requirement



Product Specs: Topper Production

# Make it your own.



## BACKLIT PANEL DIMENSIONS

Please see Exhibit A for topper panel specs. Illustrator template files are available for art setup.

## GRAPHIC GUIDELINES

- Electronic formats accepted: Adobe Illustrator (.ai), InDesign (.indd) & Photoshop (.psd/tiff)
- **Vector-based artwork files built using Adobe Illustrator preferred**
- Include layered and/or linked files, vector logos and images
- Fonts should be converted to outlines
- Image resolution is 300dpi @ 100% final output size
- Build layouts in CMYK for accurate color reproduction
- Specify Pantones/critical colors for closest match
- Include .125" bleed on all sides


## SUBMISSION

- All files should be submitted with an electronic PDF proof
- Combined files under 10MB can be emailed directly to your account manager
- Artwork files can be submitted on a CD or USB flash drive and mailed to your account manager:  
*Cardtronics, 3250 Briarpark Drive, Suite 400 Houston, TX 77042*
- For FTP information, please contact your account manager
- Files not submitted in a timely manner or built print ready may result in production delays
- Prior to production, you will receive a final proof for review and approval

# EXHIBIT A


## SS16 Topper Panels

FRONT




\*not drawn to scale


SIDE A



SIDE B



BACK



## Product Specs: Screens

# Insert card to begin.



The NCR SS16 allows your institution to connect with your cardholder during three key impact points throughout the transaction screen sequence.

### ATTRACT

- up to 2 rotating screens  
*Insert card, promotion etc.*
- English & Spanish version

### AUTHORIZATION

- 1 screen  
*Please wait, promotion etc.*
- English & Spanish version

### THANK YOU

- 1 screen
- English & Spanish version

### SCREEN DIMENSIONS

800 w x 600 h pixels

### GRAPHIC GUIDELINES

- Electronic file format accepted: (.pcx)
- 16 million colors

### SUBMISSION

- Email files directly to your account manager



Product Specs: Receipt

## The takeaway.



The final impact point for your institution to connect with your cardholder is the receipt. The customizable area includes the header.

### HEADER

- FI logo

### RECEIPT DIMENSIONS

#### Header

576 w x 150 h pixels

### GRAPHIC GUIDELINES

- Electronic file format accepted: (.bmp)
- Two colors (black & white only)

### SUBMISSION

- Email files directly to your account manager

