


GENERAL NOTES

1. REMOVE OR RELOCATE EXISTING ELECTRICAL WORK AS REQUIRED TO ACCOMMODATE NEW WORK.
2. REMOVE AND RELOCATE EXISTING ELECTRICAL WORK FROM SURFACES OR WITHIN WALLS TO BE REMOVED TO NEAREST EXISTING WALL TO REMAIN OR NEW WALL AS REQUIRED. DO NOT LEAVE EXISTING ELECTRICAL WORK FREESTANDING IN AREAS INTENDED TO BE CLEAR SPACE. CONCEAL WHERE PRACTICABLE.
3. REMOVE AND RELOCATE EXISTING ELECTRICAL WORK ABOVE EXISTING SUSPENDED CEILING TO BE REMOVED. INSTALL AS TIGHT TO EXPOSED DECK AS PERMITTED BY CODE.
4. REMOVE EXISTING ABANDONED ELECTRICAL WORK ABOVE EXISTING SUSPENDED CEILING TO BE REMOVED.

GENERAL AREA OF DEMOLITION
(BOLD OR HATCHED)



LIGHTING DEMOLITION PLAN

SCALE: 3/32" = 1'-0"

ISSUED FOR: BIDS AND PERMITS 06/12/2025
90% OWNER REVIEW 06/18/2025

PROPOSED MINOR INTERIOR REMODEL FOR:



STORE NO. D-663
26130 GRATIOT AVE.
ROSEVILLE, MI 48066

THE KROGER CO. OF MICHIGAN



32316 GRAND RIVER AVE. SUITE 200
FARMINGTON, MICHIGAN 48336-3261
(248) 476-8800 FAX (248) 476-8833

LIGHTING DEMO PLAN

PROJECT NO.

24007

SHEET NO.

ED1.1

PLOT FULL SIZE • 30"x42"

COPYRIGHT © 2025